

# Oligo<sup>®</sup> B

# 2.0

**GUARANTEED MINIMUM ANALYSIS:** Total Nitrogen (N) 2%, Boron (Actual B) 10%

## GENERAL INFORMATION

**OLIGO<sup>®</sup> B 2.0 10% Boron** is a foliar nutrient solution. This product can be applied to all crops. Applications of this product must be based on leaf or soil analysis, deficiency symptoms or plant requirements.

Shake well before product is poured into sprayer.

## NOTE

**OLIGO<sup>®</sup> B 2.0** is recommended for use as a supplement to a complete fertilizer program that is adapted to the fertility level of the soil.

Consult your agricultural representative for advice in selecting treatments from this label that best fit local conditions.

## FOLIAR TREATMENTS

**Do not apply more than 2 litres/hectare in any one application. If more than 2 litres/hectare are required, split the application 14 days apart.**

For best results, treat early in the season. Treat the crop when actively growing, early in the morning, late in the day or during overcast periods. Use between 200 L and 500 L of water per ha. With Ultra Low Volume (U.L.V.) sprayers, use at least 50 L of water/ha. If the spray solution is too concentrated, slight injury to the leaves may occur. For aerial applications, do not use more than one (1) L of this product for every four (4) L of water.

## STORAGE

This product must be kept above 0°C.

**DISPOSAL OF EMPTY CONTAINERS:** Triple rinse, dispose of empty container in accordance with municipal/provincial/federal regulations or recycle through the Clean Farms Empty Container Recycling Program.

## NOTICE

Seller warrants that the product consists of the ingredient specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer of seller, is authorized to make any warranty, guarantee or direction concerning this product.

**CAUTION:** This product contains boron and should be used only as recommended. It may prove harmful when misused. May damage fertility and the unborn child.



## WARNING

Read label before use.  
Keep out of reach of children.

### Hazard Statements:

- [H316] Causes mild skin irritation.
- [H320] Causes eye irritation.
- [H361] Suspected of damaging fertility or the unborn child.

### Precautionary Statements:

- [P202] Do not handle until all safety precautions have been read and understood.
- [P264] Wash hands thoroughly after handling.
- [P280] Wear protective gloves/protective clothing/eye protection/face protection.
- [P305 + P351 + P338] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- [P308+P313] IF exposed or concerned: Get medical advice/attention.
- [P332 + P313] If skin irritation occurs: Get medical advice/attention.
- [P373 + P313] If eye irritation persists: Get medical advice/attention.
- [P501] Dispose of contents/container to meet local regulations or through Clean Farms Empty Container Recycling Program.

## TOTAL YEARLY RATE OF APPLICATIONS

FIELD CROPS		Rate/ha Litres	FRUITS		Rate/ha Litres	VEGETABLES		Rate/ha Litres
Alfalfa.....	4 to 8		Apples.....	4 to 8	Beets.....	4 to 8		
Clover.....	4 to 8		Apricots.....	4 to 8	Broccoli.....	6 to 10		
Corn.....	2 to 4		Grapes.....	4 to 8	Cabbages.....	6 to 10		
Rape (canola).....	2 to 4		Peaches.....	4 to 8	Cauliflower.....	6 to 10		
Soybean.....	2 to 4		Pears.....	4 to 8	Celery.....	6 to 10		
Sugar beets.....	4 to 8		Plums.....	4 to 8	Lettuce.....	2 to 4		
Sunflower.....	4 to 8		Raspberries.....	4 to 6	Potatoes.....	2 to 6		
Tobacco.....	2 to 4		Strawberries.....	4 to 6	Radishes.....	2 to 4		
					Spinach.....	2 to 4		
					Tomatoes.....	2 to 6		
					Turnips.....	6 to 10		

NET CONTENT

**13.4 Kilograms (10 Litres)**

**AXTER**  
Agroscience inc.

895 Benoît St.  
Mont-St-Hilaire  
Quebec J3H 0L7

[www.axter.ca](http://www.axter.ca)