

# Oligo<sup>®</sup> Plus

**NUTRIENT SUPPLEMENT**

# 2.0

## GUARANTEED MINIMUM ANALYSIS

TOTAL NITROGEN (N) .....	2,0 %	IRON (Fe) (actual) .....	1,0%	MOLYBDENUM (Mo) (actual) .....	0,01%
MAGNESIUM (Mg) .....	1,25%	COPPER (Cu) (actual) .....	0,25%	ZINC (Zn) (actual) .....	1%
SULFUR (S) .....	4,0%	MANGANESE (Mn) (actual) .....	1,25%		

### GENERAL INFORMATION

**OLIGO<sup>®</sup> Plus** is available to plants through the foliage or the root system. This product can be applied to all crops. Applications of this product must be based on leaf or soil analysis or deficiency symptoms. Consult your extension specialist or agricultural representative for advice in selecting treatments from this label that best fit local conditions.

### FOLIAR TREATMENTS

For best results, treat early in the season. Treat the crop when actively growing, early in the morning, late in the day or during overcast periods. Use between 200 L and 500 L of water per ha. With Ultra Low Volume (U.L.V.) sprayers, use at least 50 L of water/ha. If the spray solution is too concentrated, slight injury to the leaves could occur. For aerial applications, do not use more than one (1) L of this product for every four (4) L of water.

### RATE OF APPLICATION

This product is formulated for situations where no soil or foliage analysis are available, and where deficiency symptoms are not clear.

Light deficiency	2 to 5 L/ha
Moderate deficiency	5 to 10 L/ha
Heavy deficiency	10 to 20 L/ha

### Vegetables

Treat as soon as deficiencies appear, if leaf or soil analysis are not available, apply 5 L/ha in enough water to provide a good coverage. Repeat if deficiency is still showing.

### Fruit trees and small fruits

Treat as soon as deficiencies appear, if leaf or soil analysis are not available, apply 5 L/ha in enough water to provide a good coverage and repeat 7 days later.

### Field crops

Treat as soon as deficiencies appear, if no leaf or soil analysis are available, apply 5 L/ha in enough water to provide a good coverage. Repeat if deficiency is still showing.

**CAUTION:** This product contains Iron, Copper, Manganese, Molybdenum and Zinc and should be used only as recommended.

It may prove harmful when misused. Keep out of reach of children.

### PERSONAL PROTECTION

Prevent contact with eyes, skin, or clothing by wearing goggles and protective clothing.

### FIRST AID MEASURES

**EYE CONTACT:** Check for and remove contact lenses. Immediately flush eyes with plenty of water, holding eyelids open. Consult a physician.

**SKIN CONTACT:** Remove contaminated clothing, wash with soap and water, and rinse thoroughly.

**INGESTION:** DO NOT INDUCE VOMITING. If victim is conscious and alert, rinse mouth with water.

**IMMEDIATELY OBTAIN MEDICAL ATTENTION.** If spontaneous vomiting occurs, have the individual lean forward with head down to avoid breathing in of vomit.

### STORAGE

This product must be kept above 0°C.

**DISPOSAL OF EMPTY CONTAINERS:** Triple rinse, dispose of empty container in accordance with municipal/provincial/federal regulations or recycle through the Clean Farms Empty Container Recycling Program.

### NOTICE

Seller warrants that the product consists of the ingredient specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than the officer of seller, is authorized to make any warranty, guarantee or direction concerning this product.

NET CONTENT

**12.1 Kilograms (10 Liters)**

**AXTER**  
Agroscience inc.

895 Benoît St.  
Mont-St-Hilaire  
Quebec J3H 0L7

[www.axter.ca](http://www.axter.ca)